

Genesee County Land Bank Authority

452 S. Saginaw St. 2nd Floor, Flint, MI 48502

Invitation for Bids: 2761 Golfside St. and 615 Marquette St. - General Contractor

BID NUMBER: LB 11-017

Due Date: Friday, July 8th 2011 at 3:00 pm EST

As part of a grant from:

Fannie Mae



INVITATION FOR BIDS: 2761 GOLFSIDE ST. AND 615 MARQUETTE ST. – GENERAL CONTRACTOR

Overview

The Genesee County Land Bank Authority (GCLBA) is seeking sealed bids for the rehabilitation of 2761 Golfside St. and 615 Marquette St., Flint, MI 48504. These properties are being rehabilitated as single-family residential homes to be sold under a Fannie Mae grant awarded to the GCLBA.

Sealed Bid Due Date

General contractors with qualifications and experience in renovation of single- family residential properties invited to submit sealed bids to the Genesee County Land Bank Authority, 452 S. Saginaw St., 2nd Floor, Flint, Michigan 48502 on or before **Friday, July 8, 2011 at 3:00 pm EST**. The outside of the envelope must be marked "LB 11-017, Sealed Bid for 2761 Golfside St. and 615 Marquette St."

Bid Opening

The bid opening will be Friday, July 8, 2011 at 3:15 pm EST at the Genesee County Land Bank Authority, Conference Room, 452. S. Saginaw St., 2nd Floor, Flint, MI 48502 and is open to the public.

Mandatory Pre-bid Meeting and Walkthrough

A mandatory pre-bid meeting will take place at 2602 Thomas St., Flint, MI 48503 at 9 am on Friday, June 24th, 2011.

A mandatory walkthrough of each property to be rehabilitated will follow at 2761 Golfside St., Flint, MI 48504 on Friday, June 24th, 2011 at 11:30 am until 12:30 pm and 615 Marquette St. at 1:00 pm until 2:00 pm.

Bidders <u>must</u> be present at both the pre-bid meeting <u>and</u> the walkthrough in order to bid on this proposal.



Proposal Requirements/ Bidding Instructions

Bids must be sealed, the outside of the envelope must be marked "LB 11-017, Sealed Bid for 2761 Golfside St. and 615 Marquette St." and contain the following:

- 1. Copy of a Valid State of Michigan Builders License
- 2. Copies of E.P.A. Renovator and Firm Certificates
- 3. 2011 Certificate to do Business with Genesee County
- 4. Insurance Certificate including:
 - a. Worker's Compensation
 - b. General Liability of \$2,000,000 for Bodily Injury and Property Damage
 - c. Genesee County Land Bank named as a Certificate Holder
- 5. Certification Form Note (attached)
- 6. Demonstration of Capacity Form (attached)
- 7. Typed or Inked Contractor Bid Form and Specifications (attached)

Bid Acceptance

Bid proposals of more than 10% lower or 15% higher than the GCLBA cost estimate will be disqualified based on the total aggregate amount. The GCLBA anticipates immediately entering into a contract with the general contractor after all certification requirements have been provided and accepted. The contractor must be ready to begin work immediately upon receipt of the notice to proceed by the GCLBA.

Value Engineering

Value engineering may be used by the GCLBA after the contractor has been selected particularly in instances where a line item significantly varies from the specification writer's estimate.

Method of Payment

Payment will be made for work items completed based on the accepted price per the contractors bid including any value engineering. GCLBA will provide payment for work items completed after invoice from the contractor, inspection and acceptance by GCLBA, sworn statements and any lien waivers from the work items completed. The GCLBA will provide payment within 30 days of invoice with complete documentation as required by GCLBA.

Demonstration of Capacity

All bidders are required to submit a statement(s) of experience, proposed plans for preforming the work, and equipment available by completing the Demonstration of Capacity Form attached to this bid proposal.



Minority Owned Firms and Women's Business Enterprises

GCLBA is seeking to encourage participation by respondents who are small and minority-owned firms, women's business enterprises and labor surplus area firms.

Lead Safe Work Practices

Lead safe work practices must be used for all rehabilitation activities and performed in accordance with applicable federal, state and local laws, ordinances, codes or regulations governing evaluation and hazard reduction.

Timeline for Completion

This project must be completed within 120 days from the date the GCLBA issues a notice to proceed. This includes all work items included in the bid and GCLBA final approval at time of completion and a certificate of occupancy issued by the City of Flint Department of Building and Safety.

2011 Certificate to do Business with Genesee County

Each contractor must submit one copy of their 2011 CERTIFICATE TO DO BUSINESS WITH GENESEE COUNTY. The Land Bank follows Genesee County Office of Equity and Diversity policies and procedures for this process. For further information on this requirement, contact the Genesee County Office of Equity and Diversity, 1101 Beach Street, Room 343, Flint, Michigan 48502, phone (810) 257-3028; fax (810) 768-7943.

Federal Compliance Requirements

The contractor must comply with all of the following federal guidelines for this rehabilitation project:

- 1. OSHA 29 CRF 1926- Construction Industry Standards
- 2. 29 CFR 1926.62- Construction Industry Lead Standards
- 3. 29 CFR 1910.1200 Hazard Communication
- 4. 40 CFR Part 261- EPA Regulations
- 5. Federal Labor Standards and Provisions
- 6. Equal Opportunity Clause

Questions and Addendums

Questions regarding this bid should be directed to Kyle Stottmeister at (810) 257-3088 ext. 533 or email to kstottmeister@thelandbank.org. Addendums to this bid proposal



may be found at the GCLBA website at www.thelandbank.org under the tab current bids. Please check the website for updates to this bid package.



CERTIFICATION FORM NOTE

THIS PAGE MUST BE COMPLETED AND INCLUDED WITH THE SUBMITTAL CERTIFICATION

The undersigned hereby certifies, on behalf of the Respondent named in this Certification (the "Respondent"), that the information provided in this bid submittal to GCLBA is accurate and complete, and I am duly authorized to submit same. I hereby certify that the Respondent has reviewed this bid proposal in its entirety and accepts its terms and conditions.

(Name of Respondent)
(Signature of Authorized Representative)
(Typed Name of Authorized Representative)
(Title)
(Date)



DEMONSTRATION OF CAPACITY

Company Name:
Statement of Experience
Years of Experience:
Proposed Plans for Performing the Work
Date contractor can begin work:
Date Contractor can complete work by:
Equipment Available
I certify that I have the necessary equipment available in order to complete the work outlined in this bid and accompanying specifications.
Signed this,,
Contractor Name (please print)
Contractor Signature



CONTRACTOR BID FORM

Owner Name: Genesee County Land Bank Author	ity
Contact Person/ Spec Writer: Kyle Stottmeister	
Contact Phone Number: (810) 257-3088 ext. 533	
Contact Email: kstottmeister@thelandbank.org	
Bid Submission Deadline Date: Friday, July 8, 20	111 before 3:00 pm
Property Address: 2761 Golfside St. and 615 Ma	arquette St., Flint, MI 48503
Bid Offer 2761 Golfside St. as per Attached Specifications \$ Bid Offer 615 Marquette St. as per Attached Specifications \$ Total \$	
Contractor Name:	
Contractor Signature:	Date:
Contractor Address:	
Contractor Phone:	
Contractor Email:	
	bility urance Expires Date:

Note: Bid package includes one (1) set of specifications. One copy of the specifications must be completed and returned with this bid form that must be line priced in clearly legible numbers (ink or typewritten)



SPECS BY LOCATION/TRADE

	-	an Chaolaliate			
Address:	Initial:	Unit: Unit 01			
				Cailing/Flace	DE: 0
Location:	1 - General Requirements	Approx. Wall SF: 0		Ceiling/Floor S	
Spec #	Spec	Quanti	ty Units	Unit Price	Total Price
Trade: 1	General Requirements				
37	ELECTRICAL PERMIT REQUIRED Prior to the start of work, the contractor shall create any documentation necessary to apply for, pay for and receive electrical permit on behalf of the owner.		00 EA		
38	PLUMBING PERMIT REQUIRED Prior to the start of work, the contractor shall: create a rise diagram, septic layout and all other documentation needed apply for, pay for and receive a plumbing permit on behalf owner.	r to	00 EA		
Bidder:			Location	n Total:	
Location:	2 - Interior	Approx. Wall SF: 0		Ceiling/Floor S	SF: 0
Spec #	Spec	Quanti	ty Units	Unit Price	Total Price
Trade: 9	Environmental Rehab				
9130	FINAL CLEAN AFTER REHAB Clean all surfaces for final inspection. Include bathroom, basement, etc.	1,200.	00 SF		
Trade: 10	Carpentry				
2350	FLOORREFINISH WOOD Drum sand and edge floor. Counter sink all nails and fill he Vacuum and tack rag room. Apply a sanding sealer and two coats of oil based polyurethane varnish. Vacuum room. Remove carpet, pad, and tack strips. Refinish floors in hall bedrooms, and second floor.	/0	00 SF		
Trade: 19					
	Paint & Wallpaper				

Address: 27	61 Golfside Lane	Unit:	Unit 01			
Bidder:			L	ocation	Total:	
Location:	3 - Kitchen	Approx.	Wall SF: 0		Ceiling/Floor SI	=: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 10	Carpentry					
3715	CABINETWOOD BASE Replace base cabinets. Install base cabinet with a coak or maple. Cabinet will have solid oak or map veneered plywood sides and metal or plastic corner Drawers shall be made of wood or composition made Cabinets will have pulls or knobs and will match the faucet. Cabinets will be Kountry Wood Products Harmony Maple (Or approved Equivalent) Available at Starline Kitchen and Bath	le stiles, 1/2" er bracing. aterial. ne finish on	11.00	LF		
3725	CABINETWOOD WALL Replace wall cabinets. Field measure and screw and plumb, kitchen wall cabinet. Door to be solid to have solid wood stiles, 1/2" plywood sides, met corner bracing. Cabinets will have pulls or knobs the finish on the faucet. Cabinets will be Kountry Wood Products Harmony Maple (Or approved Equivalent) Available at Starline Kitchen and Bath	wood. Frame al or plastic and will match	11.00	LF		
3750	COUNTER TOPPLASTIC LAMINATE Dispose of counter top. Field measure and manuful plastic laminate counter top, glued to particle boar this purpose. Provide cutout for sink. Owner's chin-stock color and texture.	d designed for	10.00	LF		
Trade: 22	Plumbing					
6835	SINKDOUBLE BOWL COMPLETEGCI Install a 22 gauge 33" x 22" x 8" double bowl, stair self rimming kitchen sink including a Delta "Cicera handle faucet - model #468-SSSD-DST - brushed finish (or approved equivalent), trap, supply lines, valves & escutcheon plates on all supply & drain li All copper is to be soldered & all PVC fittings glue	" single stainless shut-off ines. NOTE:	1.00	EA		
Trade: 23	Electric					
7583	GFCI DEVICE Replace receptacle with a surfaced mounted grou interrupt receptacle. Match existing color.	nd fault circuit	1.00	EA		
7730	LIGHT FIXTUREREPLACE Replace a ceiling mounted, 2 bulb, UL approved, i light fixture with shade and lamps. \$50 allowance Owner will pick fixture. Bulbs should be CFL or approved high efficiency be	for fixture.	1.00	EA		
7835	REPLACE RANGE HOOD - RECIRCULATING Install a recirculating enameled range hood with ir controls and light capable of 100 cfm at 70 somes	-	1.00	EA		

Address: 27	761 Golfside Lane	Unit:	Unit 01			
Location:	3 - Kitchen	Approx.	. Wall SF: 0		Ceiling/Floor SF	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 23	Electric					
	allowance). Attach hood to cabinet with screws. Owner's choice of color.					
Bidder: _			L	ocation	Total:	
Location:	4 - Dining Room	Approx.	. Wall SF: 0		Ceiling/Floor SF	- : 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 23	Electric					
7730	LIGHT FIXTUREREPLACE Replace a ceiling mounted, 4 bulb, UL approved, incandes light fixture with shade and lamps. \$150 allowance for fixtu Owner will pick fixture. Bulbs should be CFL or approved high efficiency bulb.		1.00	EA		
Bidder: _			L	ocation	Total:	
Location:	5 - Living Room	Approx.	. Wall SF: 0		Ceiling/Floor SF	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 23	Electric					
7730	LIGHT FIXTUREREPLACE Replace a ceiling mounted ,4 bulb, UL approved, incandes light fixture with shade and lamps. \$150 allowance for fixtu Owner will pick fixture. Bulbs should be CFL or approved high efficiency bulb.		1.00	EA		
Bidder: _			L	ocation	Total:	
Location:	6 - Bathroom	Approx.	. Wall SF: 0		Ceiling/Floor SF	- : 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 22	Plumbing					
6930	SHOWER DIVERTERSINGLE CONTROL Install a single lever, metal shower diverter (Delta or Moen) a water saving shower head with 15 year drip-free warrant		1.00	EA		
7000	TOILET SEAT Install a white, wood or plastic, top mounted toilet seat and Material allowance \$20.	lid.	1.00	EA		
Bidder: _			L	ocation	Total:	
Location:	7 - West Bedroom	Approx.	. Wall SF: 0		Ceiling/Floor SF	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price

ocation:	7 - West Bedroom	Approx.	Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Pric
ade: 23	Electric					
8017	ENERGY STAR CEILING FAN LIGHT FIXTUREGCI Install an ENERGY STAR® approved42- 52 inch white ceiling fan switched at the room entrance. Include fan mounting box necessary. Bulbs should be CFL or approved high efficiency bulb.	•	1.00	EA		
Bidder: _			L	ocation	Total: _	
ocation:	8 - East Bedroom	Approx.	Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Pric
rade: 23	Electric					
8017	ENERGY STAR CEILING FAN LIGHT FIXTUREGCI Install an ENERGY STAR® approved42- 52 inch white ceiling fan switched at the room entrance. Include fan mounting box necessary. Bulbs should be CFL or approved high efficiency bulb.		1.00	EA		
Bidder: _			L	ocation	Total: _	
ocation:	9 - Upstairs Bedroom	Approx.	Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Pric
rade: 10	Carpentry					
2406	BASEBOARDCOLONIAL 3 1/4" Install finger jointed (or MDF) 3-1/4" colonial base with finish nails of sufficient length to penetrate framing 1". Mitre all lap joints, and break all lap joints over framing. Paint new trim with 2 coats of white semi-gloss latex paint.		70.00	LF		
2520	HANDRAILREPLACE INTERIOR Install 2" round hardwood handrail with braces screwed to stuand handrail. Paint with 2 coats of white semi-gloss interior latex paint, sanded between coats.	ıds	12.00	LF		
3375	DOOR ACCORDIAN Hang a closet accordian door including overhead track, all hardware and casing on one side.		4.00	EA		
	CEILINGACOUSTIC TILE - REPAIR DAMAGED SECTIONS		20.00	SF		
3640	Install 12"x 12"x 1/2" acoustic ceiling tile to level furring strips over existing ceiling. Lay out job to balance the width of borde tiles, and apply 2-1/2" crown molding to ceiling/wall joint. Reinstall light fixture. Material allowance for tile \$.50 per squa foot.					
3640 rade: 23	over existing ceiling. Lay out job to balance the width of borde tiles, and apply 2-1/2" crown molding to ceiling/wall joint. Reinstall light fixture. Material allowance for tile \$.50 per square.					

Address: 2	2761 Golfside Lane	Unit:	Unit 01			
Location:	9 - Upstairs Bedroom	Approx.	. Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 23	Electric					
	necessary. Bulbs should be CFL or approved high efficiency bulb.					
Bidder:			L	ocation	Total: _	
Location:	10 - Basement	Approx	. Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 21	HVAC					
6015	HVAC ADJUST Clean, inspect, oil and adjust heating equipment and control Replace filter. Report any recommended part replacement to owner.		1.00	EA		
Trade: 22	Plumbing					
6630	SUPPLYPEX Install flexible pex piping with a minimum number of couplin to fixtures. Install mechanical connectors and shut off valves all fixtures. Size pipe to 1990 CABO minimums per table 2406.5.	•	75.00	LF		
7070	WATER HEATER40 GALLON GAS Install a 40 gallon, glass lined, high recovery, insulated to Regas water heater with a 10 year warranty. Include pressure temperature relief valve, discharge tube to within 6" of floor outside of structure, vent, thimble, and gas piping from shutvalve to fixture. Dispose of old water heater in code legal during the structure.	and or to off	1.00	EA		
7115	LAUNDRY TUB AND FAUCET - REPLACE Remove existing sink to code legal dump. Install single bowl 24" fiberglass laundry tray to fit under faucet. Include stands 2 handle chrome laundry faucet. Hook up waste line.		1.00	EA		
Bidder:			L	ocation	Total: _	
Location:	11 - Garage	Approx	. Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 10	Carpentry					
3185	DOORPREHUNG METAL ENTRANCE Dispose of door and frame. Install a prehung metal, insulate 6-panel entrance door and jamb including interior and extericasing, threshold, one entrance and one mortised deadbolt keyed alike (Schlage, brass finish or approved equivalent). Paint with two coats of exterior acrylic latex paint (Owner's choice of color). Front door should be decorative oval at lea 1/2 light. Replace front and back garage entry door and door into kitch	or st	3.00	EA		

Address	s: 270	61 Golfside Lane	Unit:	Unit 01			
Location	n:	11 - Garage	Approx	. Wall SF: 0		Ceiling/Floor Sl	F: 0
Spe	с#	Spec		Quantity	Units	Unit Price	Total Price
Trade:	10	Carpentry					
Bidder:		_		L	ocation	Total:	
Location	n:	12 - Exterior	Approx	. Wall SF: 0		Ceiling/Floor Sl	F: 0
Spe	c #	Spec		Quantity	Units	Unit Price	Total Price
Trade:	4	Site Work					
475		LANDSCAPING ALLOWANCE Clear back yard completely. Remove all trees and brush und 6" in diameter. Spread topsoil and spread new seed and m Waterdaily until grass has taken hold (3 weeks). Trim bushes in front yard.		1.00	AL		
Trade:	19	Paint & Wallpaper					
5740	0	CLEAN AND STAIN DECK Power wash existing deck and handrail with detergent and water mix. Rinse and allow to dry. Stain/seal with Sherwin Williams Deckscapes or =.		200.00	SF		
Bidder:	_			L	ocation	Total:	
		Unit Total	for 2761	Golfside Lar	ne, Unit	Unit 01:	
		Address	Grand T	Total for 2761	Golfsid	e Lane:	

SPECS BY LOCATION/TRADE

Work Writ	e-up/Re-Bid:	ase Num	ber:			
Walk-Ti	nrough Date: Construction	on Specia				
	Bid Date:	Ph	one:			
	Initial:					
Address: 61	5 Marquette Street	Unit:	Unit 01			
Location:	1 - General Requirements	Approx	. Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 1	General Requirements					
37	ELECTRICAL PERMIT REQUIRED Prior to the start of work, the contractor shall create any documentation necessary to apply for, pay for and receive electrical permit on behalf of the owner.	an	1.00	EA		
38	PLUMBING PERMIT REQUIRED Prior to the start of work, the contractor shall: create a rise diagram, septic layout and all other documentation needed apply for, pay for and receive a plumbing permit on behalf cowner.	to	1.00	EA		
39	HVAC PERMIT REQUIRED Prior to the start of the heating/cooling work, the contractor create a heating distrubution layout and perform heat/coolin loss calculations and all other documentation needed to ap for, pay for and receive an HVAC permit on behalf of the or	ng ply	1.00	EA		
Bidder: _			L	ocation	Total: _	
Location:	2 - Interior	Approx	. Wall SF: 1,200)	Ceiling/Floor S	F: 1,400
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 9	Environmental Rehab					
9134	CLEAN ALL FLOORING Pre-clean carpet with a HEPA vacuum using a beater bar. Using a truck- mounted steam generator, clean carpet usin steam extraction method. HEPA vacuum after carpet dries rate of 1 minute per every 20 SF. Clean vinyl with non abrasive cleaner and mop		1,500.00	SF		
Bidder:			L	ocation	Total: _	
Location:	3 - Kitchen	Approx	. Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 10	Carpentry					
3705	CABINETSREPAIR Repair base and hanging cabinets by rehanging plumb and level and replacing missing hardware, doors and drawers. Securely refasten loose hardware. Clean all surfaces with heavy duty detergent.	I	10.00	LF		

Address: 6	15 Marquette Street	Unit: Unit 01			
Location:	3 - Kitchen	Approx. Wall SF: 0		Ceiling/Floor SI	- : 0
Spec #	Spec	Quantity	Units	Unit Price	Total Price
Trade: 10	Carpentry				
Trade: 22	Plumbing				
6835	SINKDOUBLE BOWL COMPLETEGCI Install a 22 gauge 33" x 22" x 8" double bowl, stainless steel self rimming kitchen sink including a Delta "Cicera" single handle faucet - model #468-SSSD-DST - brushed stainless finish (or approved equivalent), trap, supply lines, shut-off valves & escutcheon plates on all supply & drain lines. NOTI All copper is to be soldered & all PVC fittings glued.		EA		
Trade: 23	Electric				
7835	REPLACE RANGE HOOD - RECIRCULATING Install a recirculating enameled range hood with integral controls and light capable of 100 cfm at 70 somes (\$50 allowance). Attach hood to cabinet with screws. Owner's choice of color.	1.00	EA		
Trade: 25	Appliances				
8491	DISHWASHER2 CYCLEGCI Provide and install a 24" white, 2 cycle, built- in Energy Stard labeled dishwasher including all alterations and connections plumbing and electric system. Whirlpool #: 267844 Model: DU811SWPU - or - GE Model GSD1300NWW or approved equivalent.		EA		
Bidder: _		L	ocation	Total:	
Location:	4 - Dining Room	Approx. Wall SF: 0		Ceiling/Floor SI	- : 0
Spec #	Spec	Quantity	Units	Unit Price	Total Price
Trade: 21	HVAC				
6330	REGISTER COVERREPLACE Replace missing or damaged register cover with an adjusta metal register.	1.00 ble	EA		
Trade: 23	Electric				
7730	LIGHT FIXTUREREPLACE Replace a ceiling mounted, 2 bulb, UL approved, incandesce light fixture with shade and lamps. \$150 allowance for fixture Owner will pick fixture. Bulbs should be CFL or approved high efficiency bulb.		EA		
Bidder: _		L	ocation	Total:	
Location:	5 - Living Room	Approx. Wall SF: 0		Ceiling/Floor SI	- : 0

Address:	615 Marquette Street	Unit:	Unit 01			
Location:	5 - Living Room	Approx	Wall SF: 0		Ceiling/Floor SF	: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 10	Carpentry					
2795	WINDOW REPAIR Replace double glazed insulated glass in window. Mea get proper thickness.	asure to	1.00	EA		
Trade: 21	HVAC					
6330	REGISTER COVERREPLACE Replace missing or damaged register cover with an admetal register.	justable	2.00	EA		
Trade: 23	B Electric					
8017	ENERGY STAR CEILING FAN LIGHT FIXTUREGCI Install an ENERGY STAR® approved42- 52 inch white fan switched at the room entrance. Include fan mountin necessary. Bulbs should be CFL or approved high efficiency bulb.		1.00	EA		
Bidder:			L	ocation	Total:	
Location:	6 - Main Floor Bathroom	Approx	. Wall SF: 0		Ceiling/Floor SF	: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Spec # Trade: 10	·		Quantity	Units	Unit Price	Total Price
	·	oap dish,	Quantity 1.00	Units EA	Unit Price	Total Price
Trade: 10	Carpentry TOWEL SET 3-PIECE CHROME Install a chrome plated steel bath set comprised of a so	•			Unit Price	Total Price
Trade: 10	TOWEL SET 3-PIECE CHROME Install a chrome plated steel bath set comprised of a second toward towar	•	1.00	EA	Unit Price	Total Price
Trade: 10 3820 3832	TOWEL SET 3-PIECE CHROME Install a chrome plated steel bath set comprised of a so 24" towel bar and toilet paper holder. BATH MIRROR Install beveled edge mirror sized at the width of vanity behigh.	oy 36" ured I finish ly risers,	1.00	EA	Unit Price	Total Price
Trade: 10 3820 3832 Trade: 22	TOWEL SET 3-PIECE CHROME Install a chrome plated steel bath set comprised of a so 24" towel bar and toilet paper holder. BATH MIRROR Install beveled edge mirror sized at the width of vanity be high. Plumbing VANITY30" COMPLETE Install a 30" vanity complete with plywood cabinet, culturnarble top, Delta, single handle brushed stainless steel (like model #B510LF-SS or approved equivalent), supp shut-off valves and all required waste connectors to cor	oy 36" ured I finish ly risers,	1.00	EA SF	Unit Price	Total Price
Trade: 10 3820 3832 Trade: 22 6901	TOWEL SET 3-PIECE CHROME Install a chrome plated steel bath set comprised of a so 24" towel bar and toilet paper holder. BATH MIRROR Install beveled edge mirror sized at the width of vanity be high. Plumbing VANITY30" COMPLETE Install a 30" vanity complete with plywood cabinet, culturnarble top, Delta, single handle brushed stainless steel (like model #B510LF-SS or approved equivalent), supp shut-off valves and all required waste connectors to cor the installation.	ured I finish ly risers, mplete ommode nclude ff valve,	1.00	EA SF	Unit Price	Total Price

Address: 61	5 Marquette Street	Unit: Unit 0	1				
Location:	7 - Main Floor Bedroom	Approx. Wall SF	- : 0		Ceiling/Floor SF:	0	
Spec #	Spec	Qua	antity	Units	Unit Price	Total Price	
rade: 17	Drywall & Plaster						
5210	DRYWALLPATCH Cut back defective gypsum to expose half of the studs on ear side of the hole. Cut and tightly fit drywall patch. Glue and n or screw patch. Apply tape and 3 coats of compound feather out at least 8". Wet sand ready for paint. Patch drywall on wall by door, tape and mud crack in ceiling.	ail	2.00	EA			
Γrade: 19	Paint & Wallpaper						
5565	PREP & PAINT VACANT ROOM Remove/cover all hardware, fixtures not to be painted. Wet scrape loose, cracked, peeling, blistered surfaces. Feather edges & dull gloss surfaces with sandpaper. Spot prime and top coat trim, ceiling, walls, doors & windows with owner's choice of premixed acrylic latex. Include any closets. Ceiling will be flat white, trim will be semi-gloss white, and wall color be determined later.		1.00	RM			
Bidder: _			Location Total:				
Location:	8 - Stairs	Approx. Wall SF: 0		Ceiling/Floor SF: 0			
Spec #	Spec	Qu	antity	Units	Unit Price	Total Price	
rade: 23	Electric						
7730	LIGHT FIXTUREREPLACE Replace a ceiling mounted, 2 bulb, UL approved, incandesce light fixture with shade and lamps. \$50 allowance for fixture. Owner will pick fixture. Bulbs should be CFL or approved high efficiency bulb.	nt	1.00	EA			
Bidder: _			Location Total:				
Location:	9 - Master Bedroom	Approx. Wall SF	- : 0		Ceiling/Floor SF:	0	
Spec #	Spec	Qu	antity	Units	Unit Price	Total Price	
rade: 10	Carpentry						
3345	DOOR-6 PANEL INT, HOLLOW CORE Install 6 panel, hollow core, masonite door on existing jamb. Include privacy lockset and 2 butt hinges.		1.00	EA			
Bidder:			L	ocation.	Total:		
Location:	10 - Upstairs Bathroom	Approx. Wall SF	- : 0		Ceiling/Floor SF:	0	
Spec #	Spec	Qu	antity	Units	Unit Price	Total Price	

Address:	615 Marquette Street	Unit:	Unit 01			
Location:	10 - Upstairs Bathroom	Approx.	Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 22	Plumbing					
7010	COMMODEREPLACE1.6 GPFGCI Install a 2 piece, close coupled, white, vitreous china, comwith a maximum water usage per flush of 1.6 Gallons. Including plastic or pressed wood white seat, supply pipe, shut-off vilap valve and wax seal. Toilet should be Mansfield Model 135 elongated bowl (or approved equivalent)	lude	1.00	EA		
Bidder:			Location Total:			
Location:	11 - Front Upstairs Bedroom	Approx.	Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 23	B Electric					
8017	ENERGY STAR CEILING FAN LIGHT FIXTUREGCI Install an ENERGY STAR® approved42- 52 inch white ce fan switched at the room entrance. Include fan mounting benecessary. Bulbs should be CFL or approved high efficiency bulb.	-	1.00	EA		
Bidder:		Location Total:				
Location:	12 - Basement	Approx.	Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 10	Carpentry					
2795	WINDOW REPAIR Replace double glazed thermal insulated glass in broken window with like glass.		1.00	EA		
Trade: 21	HVAC					
6041	FURNACE 95+ GAS - REPLACE Size furnace to the living unit considering any areas which be added or subtracted from the plan. Remove existing furnace and dispose of all other material code legal dump. FURNACE: install a 95+ gas fired force furnace with minimum AFUE rating of 95% on 2" patio blo existing duct work & gas line. New furnace to be vented w PVC piping per manufacturer's specifications. New furnace have minimum limited warranties of: 20 years on heat	s in a d air ck to ith	1.00	EA		

	5 Marquette Street	Onit.	Unit 01			
Location:	12 - Basement	Approx.	Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 21	HVAC					
	Replace missing or damaged ductwork. Include new plenun	າ.				
6180	A/C CENTRAL UNIT Submit manuf's cut sheet & cooling load calcs to owner min working days prior to installation. Install central A/C system with min EER of13 including condensing unit, A type coil, control power wiring, insulated freon lines, plenums, ext pad & connections to create a product capable of 72 F interior whe ext is 86 F at 95% humidity. Provide owner w/factory warran manual & 1-yr contractors warranty. Do not install condenser until house is sold and closing date set.	v/ & n ty,	1.00	EA		
Trade: 22	Plumbing					
7070	WATER HEATER40 GALLON GAS		1.00	EA		
	Install a 40 gallon, glass lined, high recovery, insulated to R-gas water heater with a 10 year warranty. Include pressure temperature relief valve, discharge tube to within 6" of floor coutside of structure, vent, thimble, and gas piping from shutvalve to fixture. Dispose of old water heater in code legal du	and or to off				
7115	LAUNDRY TUB AND FAUCET - REPLACE		1.00	EA		
	Remove existing sink to code legal dump. Install single bowl 24" fiberglass laundry tray to fit under faucet. Include standa 2 handle chrome laundry faucet. Hook up waste line.					
Trade: 23	Electric					
7680	INSTALL 5 BASEMENT LIGHTS AND SWITCH Remove old light fixtures. Install 5 keyless single bulb fixture (\$5 allowance) spaced evenly in basement. Run wire to new		1.00	EA		
	switch located on the latch side of basement door Bulbs should be CFL or approved high efficiency bulb.					
Bidder:			L	ocation	Total: _	
Bidder:		Approx.	L Wall SF: 0	ocation	Total: Ceiling/Floor S	F: 0
	Bulbs should be CFL or approved high efficiency bulb.	Approx.		ocation Units		F: 0 Total Price
Location:	Bulbs should be CFL or approved high efficiency bulb. 13 - Front Porch	Approx.	Wall SF: 0		Ceiling/Floor S	
Location: Spec #	Bulbs should be CFL or approved high efficiency bulb. 13 - Front Porch Spec	Approx.	Wall SF: 0		Ceiling/Floor S	
Location: Spec # Trade: 10	Bulbs should be CFL or approved high efficiency bulb. 13 - Front Porch Spec Carpentry	ng.	Wall SF: 0 Quantity	Units	Ceiling/Floor S	
Location: Spec # Trade: 10	Bulbs should be CFL or approved high efficiency bulb. 13 - Front Porch Spec Carpentry PAINT CEILING AND INSTALL COVE MOULDING Prep and paint bead board ceiling. Spot prime prior to paintinstall 2" cove moulding around perimeter of ceiling. Paint to	ng.	Wall SF: 0 Quantity 200.00	Units	Ceiling/Floor S Unit Price	
Location: Spec # Trade: 10 3465	Bulbs should be CFL or approved high efficiency bulb. 13 - Front Porch Spec Carpentry PAINT CEILING AND INSTALL COVE MOULDING Prep and paint bead board ceiling. Spot prime prior to paintinstall 2" cove moulding around perimeter of ceiling. Paint to	ng.	Wall SF: 0 Quantity 200.00	Units SF	Ceiling/Floor S Unit Price	Total Price

_ocation:	14 - Exterior	pprox. Wall SF: 0		Ceiling/Floor S	SF: 0
Spec #	Spec	Quantity	Units	Unit Price	Total Price
rade: 4	Site Work				
475	LANDSCAPING ALLOWANCE Remove any trees within 5' of foundation. Trim tree branches away from house. Edge driveway and sidewalk. Plant 4 perennial shrubs by front porch (Land bank to pick \$50 allowance each)	500.00	AL		
rade: 10 2675	Carpentry SIDINGALUMINUM REPAIR	25.00	SF		
		25.00	Sir		
20.0	Secure aluminum siding and replace missing or damaged siding, matching existing as closely as possible. Use pop river if needed. Replace corners where missing.	S,			

Federal Labor Standards Provisions

U.S. Department of Housing and Urban Development
Office of Labor Relations

Applicability

The Project or Program to which the construction work covered by this contract pertains is being assisted by the United States of America and the following Federal Labor Standards Provisions are included in this Contract pursuant to the provisions applicable to such Federal assistance.

A. 1. (i) Minimum Wages. All laborers and mechanics employed or working upon the site of the work will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR Part 3), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics. Contributions made or costs reasonably anticipated for bona fide fringe benefits under Section I(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of 29 CFR 5.5(a)(1)(iv); also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs, which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period.

Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under 29 CFR 5.5(a)(1)(ii) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible, place where it can be easily seen by the workers.

- (ii) (a) Any class of laborers or mechanics which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. HUD shall approve an additional classification and wage rate and fringe benefits therefor only when the following criteria have been met:
- (1) The work to be performed by the classification requested is not performed by a classification in the wage determination; and
- (2) The classification is utilized in the area by the construction industry; and
- (3) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
- (b) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and HUD or its designee agree on the classification and wage rate (including the amount designated for fringe benefits where

appropriate), a report of the action taken shall be sent by HUD or its designee to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, D.C. 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise HUD or its designee or will notify HUD or its designee within the 30-day period that additional time is necessary. (Approved by the Office of Management and Budget under OMB control number 1215-0140.)

- (c) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and HUD or its designee do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), HUD or its designee shall refer the questions, including the views of all interested parties and the recommendation of HUD or its designee, to the Administrator for determination. The Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise HUD or its designee or will notify HUD or its designee within the 30-day period that additional time is necessary. (Approved by the Office of Management and Budget under OMB Control Number 1215-0140.)
- (d) The wage rate (including fringe benefits where appropriate) determined pursuant to subparagraphs (1)(ii)(b) or (c) of this paragraph, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- (iii) Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- (iv) If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program. (Approved by the Office of Management and Budget under OMB Control Number 1215-0140.)
- 2. Withholding. HUD or its designee shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld from the contractor under this contract or any other Federal contract with the same prime contractor, or any other Federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee or helper, employed or working on the site of the work, all or part

of the wages required by the contract, HUD or its designee may, after written notice to the contractor, sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased. HUD or its designee may, after written notice to the contractor, disburse such amounts withheld for and on account of the contractor or subcontractor to the respective employees to whom they are due. The Comptroller General shall make such disbursements in the case of direct Davis-Bacon Act contracts.

- 3. (i) Payrolls and basic records. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in Section I(b)(2)(B) of the Davis-bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5 (a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in Section t(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs. (Approved by the Office of Management and Budget under OMB Control Numbers 1215-0140 and 1215-0017.)
- (ii) (a) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to HUD or its designee if the agency is a party to the contract, but if the agency is not such a party, the contractor will submit the payrolls to the applicant sponsor, or owner, as the case may be, for transmission to HUD or its designee. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i). This information may be submitted in any form desired. Optional Form WH-347 is available for this purpose and may be purchased from the Superintendent of Documents (Federal Stock Number 029-005-00014-1), U.S. Government Printing Office, Washington, DC 20402. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. (Approved by the Office of Management and Budget under OMB Control Number 1215-0149.)
- (b) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
- (1) That the payroll for the payroll period contains the information required to be maintained under 29 CFR 5.5 (a)(3)(i) and that such information is correct and complete;
- (2) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll

- period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in 29 CFR Part 3:
- (3) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.
- (c) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by subparagraph A.3.(ii)(b).
- (d) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under Section 1001 of Title 18 and Section 231 of Title 31 of the United States Code.
- (iii) The contractor or subcontractor shall make the records required under subparagraph A.3.(i) available for inspection, copying, or transcription by authorized representatives of HUD or its designee or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, HUD or its designee may, after written notice to the contractor, sponsor, applicant or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

4. Apprentices and Trainees.

(i) Apprentices. Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice. The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed. Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the

journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination. In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

- (ii) Trainees. Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration. The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration. Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.
- (iii) Equal employment opportunity. The utilization of apprentices, trainees and journeymen under 29 CFR Part 5 shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR Part 30.
- 5. Compliance with Copeland Act requirements. The contractor shall comply with the requirements of 29 CFR Part 3 which are incorporated by reference in this contract
- 6. Subcontracts. The contractor or subcontractor will insert in any subcontracts the clauses contained in subparagraphs 1 through 11 of this paragraph A and such other clauses as HUD or its designee may by appropriate instructions require, and a copy of the applicable prevailing wage decision, and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in this paragraph.

- 7. Contract termination; debarment. A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.
- 8. Compliance with Davis-Bacon and Related Act Requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR Parts 1, 3, and 5 are herein incorporated by reference in this contract
- 9. Disputes concerning labor standards. Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR Parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and HUD or its designee, the U.S. Department of Labor, or the employees or their representatives.
- 10. (i) Certification of Eligibility. By entering into this contract the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of Section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1) or to be awarded HUD contracts or participate in HUD programs pursuant to 24 CFR Part 24.
- (ii) No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of Section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1) or to be awarded HUD contracts or participate in HUD programs pursuant to 24 CFR Part 24.
- (iii) The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001. Additionally, U.S. Criminal Code, Section 1 01 0, Title 18, U.S.C., "Federal Housing Administration transactions", provides in part: "Whoever, for the purpose of . . . influencing in any way the action of such Administration..... makes, utters or publishes any statement knowing the same to be false..... shall be fined not more than \$5,000 or imprisoned not more than two years, or both."
- 11. Complaints, Proceedings, or Testimony by Employees. No laborer or mechanic to whom the wage, salary, or other labor standards provisions of this Contract are applicable shall be discharged or in any other manner discriminated against by the Contractor or any subcontractor because such employee has filed any complaint or instituted or caused to be instituted any proceeding or has testified or is about to testify in any proceeding under or relating to the labor standards applicable under this Contract to his employer.
- B. Contract Work Hours and Safety Standards Act. The provisions of this paragraph B are applicable only where the amount of the prime contract exceeds \$100,000. As used in this paragraph, the terms "laborers" and "mechanics" include watchmen and guards.
- (1) Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of 40 hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of 40 hours in such workweek.
- (2) Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in subpara-

- graph (1) of this paragraph, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in subparagraph (1) of this paragraph, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of 40 hours without payment of the overtime wages required by the clause set forth in sub paragraph (1) of this paragraph.
- (3) Withholding for unpaid wages and liquidated damages. HUD or its designee shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contract, or any other Federally-assisted contract subject to the Contract Work Hours and Safety Standards Act which is held by the same prime contractor such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in subparagraph (2) of this paragraph.
- (4) Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in subparagraph (1) through (4) of this paragraph and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in subparagraphs (1) through (4) of this paragraph.
- C. Health and Safety. The provisions of this paragraph C are applicable only where the amount of the prime contract exceeds \$100,000.
- (1) No laborer or mechanic shall be required to work in surroundings or under working conditions which are unsanitary, hazardous, or dangerous to his health and safety as determined under construction safety and health standards promulgated by the Secretary of Labor by regulation.
- (2) The Contractor shall comply with all regulations issued by the Secretary of Labor pursuant to Title 29 Part 1926 and failure to comply may result in imposition of sanctions pursuant to the Contract Work Hours and Safety Standards Act, 40 USC 3701 et seq.
- (3) The Contractor shall include the provisions of this paragraph in every subcontract so that such provisions will be binding on each subcontractor. The Contractor shall take such action with respect to any subcontract as the Secretary of Housing and Urban Development or the Secretary of Labor shall direct as a means of enforcing such provisions.

EQUAL OPPORTUNITY CLAUSE (EXECUTIVE ORDER 11246)

"During the performance of this contract, the contractor agrees as follows:-

- "(1) The contractor will not discriminate against any employee or applicant for Employment because of race, creed, color, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, creed, color, or national origin. Such action shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause.
- "(2) The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, creed, color, or national origin.
- "(3) The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency contracting officer, advising the labor union or workers' representative of the contractor's commitments under Section 202 of Executive Order No. 11246 of September 24, 1965, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- "(4) The contractor will comply with all provisions of Executive Order No. 11246 of Sept. 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- "(5) The contractor will furnish all information and reports required by Executive Order No. 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the contracting agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- "(6) In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of such rules, regulations, or orders, this contract may be cancelled, terminated or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts in accordance with procedures authorized in Executive Order No. 11246 of Sept 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order No. 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.
- "(7) The contractor will include the provisions of Paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order No. 11246 of Sept. 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as the contracting agency may direct as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, That in the event the contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the contracting agency, the contractor may request the United States to enter into such litigation to protect the interests of the United States."